

MEDICATIONS TO USE DURING PREGNANCY

Cold Allower & Simuses	Actifed	Robitussin/Robitussin DM
Cold, Allergy & Sinuses		
	Allegra/Allegra D	Saline Nasal Spray
	Benadryl	Sucrets
	Cepacol	Sudafed
	Chor-Trimeton	Tylenol Cold & Flu
	Chloraseptic Throat Spray	Tylenol Cold & Sinus
	Claritin/Claritin D	Vick's Vapor Rub
	Hall's Cough Drops	Zyrtec/Zyrtec D
	Mucinex/ Mucinex DM	
	*If you have a temperature over 101 degrees, nasal or chest drainage of	
	color, wheezing or shortness of breath, p	lease schedule an appointment
	with your primary care physician or go to urgent care.	
Diarrhea	Imodium/Imodium AD	
	Kaopectate	
	*Use this reference if you have 3 or more	a watery howel movements a day
	If it lasts more than 2 days, please call the office.	
C	Benefiber	
Constipation		Miralax
	Citrucel	Metamucil
	Colace (stool softener)	Milk of Magnesia
	Glycerin Suppositories	Fibercon
	Senokot	
Hemorrhoids	Anusol HC Suppositories	Anusol Cream
	Preparation H	Tucks Pads
Heartburn, Gas, Indigestion	Gas-X	Prilosec
	Maalox	Protonix
	Mylanta	Rolaids
	Pepcid AC	Tagamet HB
	Phazyme	Tums
	Prevacid	
Nausea, Vomiting	Vitamin B-6 (50mg 3 times a day)	
	Ginger (tea or tablets: 250mg capsules 4 times a day)	
	Seabands	
	Emetrol	
	*Eat small frequent meals/snacks	
	*peppermint candies/tea	
Pain or Fever	Tylenol: 650mg (2 tablets) every 4 hours	
	Extra Strength Tylenol: 1000mg (2 tablets) every 6 hours	
	(Not to exceed 4000mg every 24 hours)	
	*DO NOT use aspirin, ibuprofen, Aleve, Motrin, or Advil.	
Incomnic		Unisom
Insomnia	Tylenol PM	UIIISOIII
a	*Avoid caffeine	
Skin Conditions	Benadryl: 25mg by mouth every 6 hours	Benadryl Cream
(Rash, Itching)	Aveeno	Caladryl
	Cortisone Cream	Neosporin
Yeast Infection	Monistat: Insert applicator gently into opening of vagina	

These recommendations are based on the American College of Obstetrics and Gynecology.

For Appointments: 770/721-9420

Woodstock Canton Ellijay Blue Ridge